

IceToolz®

www.icetoolz.com
contact@icetoolz.com



Lifu Bicycle Co., Ltd.

No. 4, Lane 11, Ziqiang Street, Tucheng District,
New Taipei City 23678, Taiwan (R.O.C.)
Tel: +886 2.2268-7367
Fax: +886 2.2268-1947



IceToolz®

TOOLZ FOR THE PEOPLE

CATALOGUE 2018

en

Contents

Accessories.....	1
Air Pumps.....	1-2
Bottom Bracket Tools.....	2
Cable Tools.....	3
Chain Tools.....	3-4
Cleaning & Lubrication.....	4-5
Cone Wrenches.....	6
Crank Tools.....	6
Disc Brake Tools.....	7
Display & Storage.....	7-8
Frame & Fork Tools.....	8-9
Freewheel & Cassette Tools.....	9
General Tools.....	10
Headset Wrenches.....	10
Hex and Star (Torx®) Wrenches.....	11
Impact Tools for Assembly Line.....	11-12
Multi Tools.....	12-13
Pedal and Axle Wrenches.....	13
Safety.....	13
Spoke Tools.....	14-15
Tire Service.....	15-16
Tool Kits.....	16
Xpert Series – Tools for Specialists.....	17-21

Third party product names used herein are used to identify such products and are for descriptive purposes only. Such names may be marks and/or registered marks of their respective owners.

Copyright:
World Champion CECILE RAVANEL



Accessories

Stainless Steel Bottle Opener


17B1



NBR Gloves

Keep your hands clean of oils, acids and dirt while allowing for natural feel. 100 PCS/BOX.

17G1-17G3-17G5



Item	17G1	17G3	17G5
Size	M	L	XL
A	26cm	26cm	26cm
B	9,5cm	10,5cm	11,5cm

± 0.5cm

- Powder-Free
- Protein-Free
- High Flexibility
- Textured
- Non Sterile
- Ambidextrous
- Anti-Oil
- Acid Resistant
- Alkali Resistant

IceToolz® Flat Top Cap

One size for all.

17H3



IceToolz® Polo Shirt

17P1-17P7



Item	17P1	17P2	17P3	17P4	17P5	17P6	17P7
Size	S	M	L	XL	XXL	3XL	4XL
Width	48cm	51cm	53cm	56cm	59cm	61cm	66cm

IceToolz® T-shirt

100% cotton.

17U1-17U5



Item	17U1	17U2	17U3	17U4	17U5
Size	S	M	L	XL	XXL
Width	50.5cm	53cm	55.5cm	58cm	61cm

Air Pumps

VeloDuo High Pressure / High Volume Alu Mini Pump

Telescoping design for faster and easier inflating. Presta / Schrader / Dunlop, up to 120psi / 8.2bar.

A111

VeloDuo



VeloAgile High Pressure Alu Mini Pump

With 2-tone T-handle and alu thumblock lever. Presta / Schrader / Dunlop, up to 120psi / 8.2bar.

A211

VeloAgile



VeloClub High Pressure Alu Mini Floor Pump

With 2-tone T-Handle and inline gauge. Presta / Schrader / Dunlop, up to 140psi / 9.6bar.

A351

VeloClub




Sport Steel Floor Pump

With high-mount gauge. Ergonomic 2-tone handle designed. Twin-valve with thumblock lever. Presta / Schrader / Dunlop, up to 160psi / 11.0bar.

A451

Sport



Rubber Hose

Use for all of IceToolz® high pressure floor pumps.

A451H



Twin-Valve

Use for all IceToolz® floor pumps, Presta / Schrader / Dunlop.

A451V




Cannon Tubeless Floor Pump

Designed for tubeless tire, compatible for classical tire. Pump to pressurize air chamber. Instant tire inflation by turning a knob to release compressed air. A switch for direct airflow from the pump in case of insufficient pressure. Withstand up to 160psi / 11.0bar. Ergonomic handle for effortless pumping at high pressure. Presta, Schrader and Dunlop compatible.

AIR COMPRESSOR & PUMP Cannon

new A453



Air Pumps

Comp Steel Floor Pump

With top-mount gauge. Ergonomic 2-tone handle designed. Twin-valve with thumblock lever. Presta / Schrader / Dunlop, up to 160psi / 11.0bar.


| A551



Extreme High Pressure Floor Pump

A high pressure aluminum body with increased metal base for stability. This pump has strength and pressure of over 260psi / 18.0bar. A new innovative valve that manages schrader / Presta / Dunlop.

| A652



High Pressure Alu Shock Pump

Non-Scratch rubber sealing system. Schrader anti-leak chuck. Up to 300psi / 20.6bar with gauge. With pressure relief valve.

| A751



Bottom Bracket Tools

BB Installation Tool

For Campagnolo® Ultra-torque / Shimano® Hollowtech II / Truvativ® Howitzer compatible BB. Cr-Mo steel. For use with 1/2" driver (#53D4) or 32mm headset wrench (#06F2).

| M091



BB Installation Tool

For Shimano® BBR60 BB. Cr-Mo steel. For use with 1/2" driver (#53D4).

| M093



BB Installation Tool

For Shimano® SM-BB93 (SM-BB9000) BB. Cr-Mo steel. For use with 1/2" driver (#53D4).

| M095



12-Tooth BB Installation Tool

For Hawk Racing™ BB3086™, RaceFace® Cinch™, Rotor® BSA30, Zipp® Vuma™ and other external bottom bracket system. Hardened Cr-Mo steel. Use with 1/2" driver (#53D4).

new
| M097



Freewheel / Cassette Tool

For Shimano® MF compatible freewheels & Campagnolo® cassettes & splined 12-tooth bottom bracket cups found on the square type spindle systems. Cr-V steel. For use with 1/2" driver (#53D4) or 21mm spanner.

| 09B3



Shimano / ISIS Drive BB Tool

For Shimano® / ISIS Drive® compatible cartridge BBs with 20-tooth in the ring, CNC engineered, Cr-Mo steel. For use with 1/2" air driver (#53D4) or ratchet wrench.

| 11B1



Shimano / ISIS Drive BB Tool

For Shimano® / ISIS Drive® compatible cartridge BBs with 20-tooth in the ring, CNC engineered, Cr-Mo steel. For use with 32mm headset wrench (#06F2).

| 11B3



Shimano / ISIS Drive BB Tool

For Shimano® / ISIS Drive® compatible cartridge BBs and Chaining locking with 8 external notches, Cr-Mo steel. For use with 32mm headset wrench (#06F2).

| 11D3



BB Installation Tool

For Shimano® Hollowtech II compatible BB. Cr-Mo steel. For use with 8mm hex key (#35V8). Patented.

| 11F3



BB Installation Tool

For Campagnolo® Ultra-torque / Shimano® Hollowtech II / Truvativ® Howitzer compatible BB. Cr-Mo steel.

| 11F2



Adjustable BB Cup Tool

Pins made of Cr-Mo steel.

| 11A0



BB and Headset Locking Tool

| 11H1



Bearing Cup Press Tool

For BB30, BB86, BB92, BB386. Patented.

| 11R3



Cable Tools

Cable Plier

With a thumb lock to hold the cable tight for one hand operation.

| 01A1



Pro Shop Cable & Spoke Cutter

For Shimano® SIS SP. Contains inner wire (Max. Ø3.5mm) and outer casing (Max. Ø7.0mm) reconditioner. Patented.

| 67A5



Cable Cutter

Cuts cable, housing and wire quickly and easily. Thumb-lock closure is easy to open and protects cutter when closed.

| 67B4



Chain Tools

Portable Chain Tool

For Shimano® compatible HG/UG/IG chains, Cr-Mo steel. Perfect for 6, 7, 8, 9, and 10-speed chains. The thumb-lid isolates the finger from the greasy chain while locates the chain at the right position. With chain connectors case. Patented.

| 61A4



Portable Chain Tool


For 11 & 12-speed chains, Cr-Mo steel. The thumb-lid isolates the finger from the greasy chain while locates the chain at the right position. With chain connectors case. Patented.

| 61A5



Spare Shaft for #61A4 & #61A5

| 61A4S



With Chain Connector Case



Thumb-lid Chain Hook

Spare Shaft for #62xx series

| 62P3S



Pro Shop Chain Tool for Single Speed

For 1/2"x3/32", 1/2"x1/8" BMX chains, including YBN® "Offset Link" chains, Cr-Mo steel. Connecting rivet pilot pin breaker included. The thumb-lid isolates the finger from the greasy chain while locates the chain at the right position. Patented.

| 62B3



Offset Link Chain

Pro Shop Chain Tool for Electric Bike Chains

For 1/2"x3/16" chains, Cr-Mo steel. Connecting rivet pilot pin breaker included. The thumb-lid isolates the finger from the greasy chain while locates the chain at the right position. Patented.

| 62B7



Connecting Pilot Pin Breaker

Pro Shop Chain Tool for Shimano Chains

For Shimano® compatible HG/UG/IG chains, Cr-Mo steel. Perfect for 6, 7, 8, 9, and 10-speed chains. Connecting rivet pilot pin breaker included. The thumb-lid isolates the finger from the greasy chain while locates the chain at the right position. Patented.


| 62P3




Pro Shop Chain Tool for 11 & 12-speed Chains

Connecting rivet pilot pin breaker and pin peen included. The thumb-lid isolates the finger from the greasy chain while locates the chain at the right position. Patented.

| 62U3



Pin Peen



Thumb-lid

Chain Tools

Chain Tool
For Shimano® compatible HG/UG/IG chains, Cr-Mo steel. Perfect for 6,7, 8, 9, and 10-speed chains.

| 29B2



Spare Shaft for #29B2

| 29B2S



Spare Shaft for #29C2 & #29C3

| 29C2S



Spare Shaft for #61A3 & #61U0

| 61A3S



Chain Tool
Adjustable for 7, 8, and 9-speed fits different chain sizes.

| 61U0



Stainless Steel Go / No-go Chain Checker

| 62C4



All-in-1 Master Link Pliers
Removes and installs the master chain links, and removes the C-ring. Cr-Mo steel. Patented.

| 62D1



Master Link Pliers
2-in-1 tool for Master Link assemble and disassemble.

new
| 62D3




Foldable Chain Hook
Patented.

| 62H1



ChainMaster
For rear chain stay, dropout, and derailleur protection when you travel. Adjustable to fit different length of axles (130, 135, 160, and 165mm). Patented.

| 30C1




w/o quick release

Cleaning & Lubrication

Chain Scrubber
20 total brushes with exclusive 4-sided scrubber system clean chain spotlessly. Contains one spare sponge. Rubber band added to allows it to hang on the seat stay by itself, without the need of holding the chain scrubber with your own hand. This provides more efficiency while cleaning. Patented.

| C115



Spare Parts for Chain Scrubber
For chain scrubber #C113 & #C115. Contains brushes and two sponges.

| C115S



Pro Shop Apron
Double zip center pockets, dual open side pockets, and single zip chest pocket. Tough enough for a pro shop & comfortable enough for home use.

| C153



Two-way Brush
With soft bristles for delicate & stiff bristles for aggressive cleaning.

| C121



Sprocket Cleaning Brush
Up to 10-speed.

| C123



Brush Set
With stiff bristle for aggressive MTB tires & sprockets cleaning.

| C164



Concentrated Degreaser
Water based degreaser is better for the environment and cleaning your bike. Volume: 4oz. / 120ml.

| C133



Jumbo Concentrated Degreaser
Water based degreaser is better for the environment and cleaning your bike. Volume: 15oz. / 400ml.

| C134



PTFE Lubricant
Contains PTFE & other additives to keep your chain running smooth. Volume: 4oz. / 120ml.

| C141



Cutting Fluid
Volume: 2oz. / 60ml.

| C143



Anti-slip Paste
For assembling parts made of carbon fiber and aluminum alloy. Keeps parts from moving or loosening and ensures perfect corrosion protection, also prevents the two components seizing up. 5ml.

| C145



Anti-wear Copper Grease
Protects metal against corrosion, heat, and water. Ideally for hubs, screws, nuts, bolts, bearings, and BBs. Highly lubricating even with small amount. Temperature range: -25°C ~ 200°C. Volume: 4oz. / 120ml. Contains: Copper, Graphite, Silicon.

| C172




Complex Calcium Sulfonate Grease for Hub
Unique, high quality lubricating, an over based calcium sulfonate thickener. Combined with its mid-viscosity petroleum base fluids are as a premium, all-purpose lubricant. Complex Calcium Sulfonate Grease's high load carrying ability, excellent water resistance, oxidation and corrosion prevention, and outstanding performance in a wide temperature range, make it high performance premium grease. Recommended for application on hubs. Temperature range: -25°C ~ 200°C. Volume: 3ml. Contains: Calcium Sulfonate.

| C173



Chain Scrubber
20 total brushes with exclusive 4-sided scrubber system clean chain spotlessly. Contains one spare sponge. Rubber band added to allows it to hang on the seat stay by itself, without the need of holding the chain scrubber with your own hand. This provides more efficiency while cleaning. Patented.

| C115



Spare Parts for Chain Scrubber
For chain scrubber #C113 & #C115. Contains brushes and two sponges.

| C115S



Pro Shop Apron
Double zip center pockets, dual open side pockets, and single zip chest pocket. Tough enough for a pro shop & comfortable enough for home use.

| C153



Boron Nitride Grease for Ceramic Bearing
Specialized with adhesion for ceramic surface. It is designed for high temperature performance, oxidation stability, water resistance, high pressure stability, low friction coefficient, and rust prevention. Boron Nitride Grease prevents high-temperature adhesion and sintering. Temperature range: -25°C ~ 200°C. Volume: 3ml. Contains: Boron nitride, extreme pressure additive.

| C175



Grease Gun
Ergonomic design for copper grease.

| C179



Chain Scrubber and Concentrated Degreaser Combo Set

| C212



Anti-wear Copper Grease and Grease Gun Combo Set

| C272



Cone Wrenches

Cone Wrenches

Cr-Mo steel.
37A1: 13x14mm
37B1: 15x16mm
37C1: 17x18mm

37A1-37C1



Combo Set of Cone Wrenches

37A1+37B1+37C1,
13x14mm+15x16mm+17x18mm,
set of 3 pieces.

37X3



Cone Wrench

13mm (#4713) to 19mm (#4719),
Cr-Mo steel, length: 200mm.

4713-4719



Cone Wrench

20mm (#4720) to 25mm (#4725),
Cr-Mo steel, length: 230mm.

4720-4725



13+15+17mm Cone Wrench Set

47X3



13~19mm Cone Wrench Set

47X7



Cone Wrench Set

13x15+14x16mm, set of 2 pieces.

0502



Crank Tools

Deluxe Crank Tool with Handle

Contains 14x15mm sockets & 7x8mm hex keys for crank bolt and crank arm removal. Patented interchangeable adaptor fits both square & hollow axles. Handle extendable to 270mm for extra leverage. Patented.

04A5



Crank Remover

With patented interchangeable adaptor fits both square & hollow axles. For use with 8mm hex key wrench. Patented.

04C2



Crank Extractor

Contains 14x15mm sockets & 8mm hex key for crank bolt and crank arm removal. Patented interchangeable adaptor fits both square & hollow axles. Patented.

04D2



Crank Tool with Ergonomic Handle

Contains 14x15mm sockets & 8mm hex key for crank bolt and crank arm removal. Patented interchangeable adaptor fits both square & hollow axles. Patented.


04S1



Crank Arm/Cap Installation Tool

For Shimano® Hollowtech II.

04T1



Professional Tool for Chainwheel Bolt Installation

No more busted knuckles while servicing your chainrings. Cr-V steel.

27P3



Disc Brake Tools

Hydraulic Hose Cutter

For stainless steel braided and Kevlar hose. Flawlessly cuts hose and prevents inner tube from deforming. Contains one spare blade #54A1S.

54A1



Spare Blade for #54A1

54A1S



Disc Brake Piston and Pad Alignment Tool

Reposition pistons or help align disc pads with this easy to use tool. It's made of Cr-Mo steel with ergonomically designed handle for comfortable grip.

54B1



Needle Driver

The needle can be inserted straight into the hose easily. Patented.

54P1



Bleed Kit

Universal design for all hydraulic disc brake systems. Compatible with AVID®, FORMULA®, HAYES®, HOPE®, MAGURA®, and SHIMANO®. Suitable for use with Mineral and DOT oil. With one pair of NBR Gloves. New syringes with adaptor to fix on the syringe & PU tubes tightly. With a releasable cable tie which can fix the PU tubes onto the calipers. With two pieces tubing clips to on/off the flow of syringes.

54R2



Disc Rotor Truing Tool

Scales to 2.5mm.

55A1



Croco Brake Shoe Tuner

Align rim brake pads easier and faster. Adjustable to various rim width 15mm~40mm and the rim max depth at 60mm. Patented.


55B1



Disc Brake & Rim Measuring Tool

Handy for thickness of small parts, with accuracy to 0.1mm. Measuring range from 0.1mm to 10mm.

55C1



Display & Storage

Event and Display Stand

Holds up to 12 bikes by the saddle. Expandable to meet any event and or shop needs. Add the rubber stripe at the top of stand to protect the saddle rail. With the quick release functions, so it's quite easy to assemble or disassemble. Includes a carry bag and mesh pockets on each side. Size: 2,760x810x1,215mm.

P412



Event and Display Stand Extension Kit

Extends 4~6 bikes. With the quick release functions which it's quite easy to assemble or disassemble. Size: 1,470x810x1,215mm.

P411S



Scorpion Stand

Up to 29". Display your bike in home or shop so quickly. Unique design links can display with a single line, small circle, or large oval in the shop. Suitable for Road bike. Patented.

P511



Storage Stand

For 2 bikes. Extra bike holder can be added for up to 4 bikes. With a stable four legged base, and coating on holder to keep your bicycle scratch free. Patented.


P616



Extra Bike Holder

For #P616 to hang more than 2 bikes. Hook angle adjustable to fit different style of frames. Patented.

P616S



Eagle Bicycle Lifter

Dual pulley system, maximum height of 3 meters. GS certified.


P621



Display & Storage


Bull Storage Rack
Foldable for out of way storage.

P631



Swing-Bull Storage Rack
Foldable for out of way storage. Hook angle adjustable to fit different style of frames. Patented.

P633



Stand-By-Me
Bike Stand for display and repair. The height and angle of chain stay holder adjustable to fit different size and style of frames.

P643



Rear Axle Bike Stand
Up to 29". Patented.

P646



Display Stand
Up to 29", foldable for easy storage.

P648



Two-way Storage Hook
For slat wall or regular wall. Patented.

P655



Spider Storage Chains
Set of 2 pieces. It is a practical and convenient way to store your bicycle, keeping it scratch free and out of the way of children. The coating grip to protect your bicycle from scratches.

P661



Storage Hooks - Wood Thread with Dowels
Set of 2 pieces. Black vinyl coated.

P684



Storage Hooks - Machine Thread with Nuts and Spring Washers
Set of 2 pieces. Black vinyl coated.

P686



Frame & Fork Tools

H.S.S. Blade Tube Cutter
Up to 1-5/8" (42mm) tube diameter. Ideal for Ti/AL/Cr-Mo/Steel. Not recommended for carbon fiber or threaded tubes (see #16G1 and #16H3 for these applications).

16A5




Spare H.S.S. Blade
For #16A2, #16A4, & #16A5 tube cutters.

16A2S



Tube-end Chamfering Tool
Patented.

16B1



Saw Guide
For up to 1-1/4" (32mm) tubes. 90-degree no swing design. Patented.

16G1



Spare H.S.S. Bi-metal Saw
For #16H1 mini hack saws.

16H1S



Professional Hack Saw
Contains carbide grit blade, especially for carbon fiber tubes. It's also adjustable to 45 degree.

16H3



Carbide Grit Blades for #16H3
Set of 2 pieces.

16H3S



Freewheel & Cassette Tools

Suntour 2-notch Freewheel Remover
For Suntour® compatible 2-notch freewheels, Cr-V steel. For use with 1/2" driver (#53D4) or 21mm spanner.

0903



Freewheel / Cassette Tool
For Shimano® MF compatible freewheels & Campagnolo® cassettes & splined 12-tooth bottom bracket cups found on the square type spindle systems. Cr-V steel. For use with 1/2" driver (#53D4) or 21mm spanner.

09B3



Cassette Lockring Tool with Guide Pin
For Shimano® CS, SRAM, SunRace, Chris King compatible cassettes and Shimano® Center Lock disc brakes, Cr-V steel. The guide pin prevents the tool from slipping out of the spline of the cassette locking. For use with 1/2" driver (#53D4) or 21mm spanner.

09C1



Shimano Cassette Lockring Tool
For Shimano® CS, SRAM, SunRace, Chris King compatible cassettes and Shimano® Center Lock disc brakes, Cr-V steel. For use with 1/2" driver (#53D4) or 21mm spanner.

09C3



Freewheel / Cassette Lockring Tool
For Shimano® CS, SRAM, SunRace, Chris King compatible cassettes and Shimano® Center Lock disc brakes. Also for Shimano® MF compatible freewheels & Campagnolo® cassettes (all) and BBs (Record, Chorus, and Athena). Made of Cr-V steel, durable, accurate and does not damage the freewheel. Use with 8 mm hex key wrench (#35V8).

new
09C5



Single speed 2-notch Freewheel Remover
For 2-notch single speed freewheels, Cr-Mo steel. For use with 24mm spanner (#4724).

09D1



BMX 4-notch Freewheel Remover
For 4-notch BMX freewheels, Cr-Mo steel. For use with 24mm spanner (#4724).

09E1



Suntour 4-notch Freewheel Remover
For Suntour® compatible 4-notch freewheels, Cr-V steel. For use with 1/2" driver (#53D4) or 21mm spanner.

09F3



Miche Cassette Lockring Tool
For Miche® compatible cassettes, Cr-V steel. For use with 1/2" driver (#53D4) or 21mm spanner.

09M3



Shimano Saint Cassette Tool
For Shimano® Saint compatible Center Lock disc brakes, Cr-Mo steel. For use with 1/2" driver (#53D4) or 24mm spanner (#4724).

09S3



1/2" Drive Wrench
With quick release function.

53D4



Freewheel Turner (Chain Whip, 1/2" x 3/32")
Compatible for multi-speed. Ergonomic handle with long anti-slip grip.

53S3



Piranha Freewheel Turner with Chain Whip (1/2" x 1/8")
Compatible for single-speed. Innovative design for one hand operation. Easy to grab the sprocket with the chain. Ergonomic handle for better grip.

new
53Y1



Piranha Freewheel Turner with Chain Whip (1/2" x 3/32")
Compatible for multi-speed. Innovative design for one hand operation. Easy to grab the sprocket with the chain. Ergonomic handle for better grip.

new
53Y3



General Tools

Tape Measure
Measures up to 3 meters / 10 feet in centimeters & inches.

| 17M3



Rubber Mallet
When a little force is needed. Coated to prevent marring and marking 2.5lb/1.13kg.

| 17N1



6" Adjustable Forged Wrench
With scales to 1mm.

| 25H6



8x9x10mm Y Box Wrench
With comfortable Kraton grip.

| 60A2



7" Combination Pliers
2-tone handle for comfort grip. Heat treated CR-V for longer lifespan. Compact 180mm. Self-opening jaw.

new
| 28C2



7" Diagonal Cutting Pliers
2-tone handle for comfort grip. Heat treated CR-V for longer lifespan. Compact 180mm. Self-opening jaw.

new
| 28D2



6" Needle Nose Pliers
2-tone handle for comfort grip. Heat treated CR-V for longer lifespan. Compact 150mm. Self-opening jaw.

new
| 28L2



#0 Crosshead (Phillips) Screwdriver with Magnetic Tip
Ergonomically designed handle for comfortable grip. 100mm length.

new | 28P0

#1 Crosshead (Phillips) Screwdriver with Magnetic Tip
Ergonomically designed handle for comfortable grip. 100mm length.

new | 28P1

#2 Crosshead (Phillips) Screwdriver with Magnetic Tip
Ergonomically designed handle for comfortable grip. 100mm length.

new | 28P2



3mm Flat Blade screwdriver with Magnetic Tip
Ergonomically designed handle for comfortable grip. 100mm length.

new
| 28S3

Dual Wrench
8mm (#3908) ~ 15mm (#3915), 17mm (#3917), and 19mm (#3919), Cr-V steel.

new 3917 & 3919

| 3908-3919


8~15mm Dual Wrench Set
With a storage pouch, the pouch includes two holes to hang during use of wrenches.

| 39B8



Combination Ratchet Wrench
8mm (#4108) ~ 15mm (#4115), 5-degree ratcheting, Cr-V steel.

| 4108-4115



8~15mm Combination Ratchet Wrench set
With a storage pouch, the pouch includes two holes to hang during use of wrenches.

| 41B8



6mm Flat Blade screwdriver with Magnetic Tip
Ergonomically designed handle for comfortable grip. 100mm length.

new
| 28S6



Headset Wrenches

06F2 32mm Headset Wrench
Cr-Mo steel.

| 06F2



06F6 36mm Headset Wrench
Cr-Mo steel.

| 06F6



4-in-1 Headset Wrench
30x32+36x40mm, Cr-Mo steel.

| 06H8



Hex and Star (Torx®) Wrenches

8mm Hex Key Wrench
With coating, Cr-V steel.

| 35V8



10mm Hex Key Wrench
With coating, Cr-V steel.

| 35VA



Quartet Wrench
4x5+6x8mm flex-key wrenches, Cr-V steel.

| 36H1



Hex Key Wrench Set
2x2.5x3x4x5x6x8mm, 4x5x6mm ball-ended, Cr-V steel.

| 36Q1



3-Way with a Screwdriver
A new twist on the perfect tool. 4x5mm hex keys and PH2 screwdriver. Kraton grip.

| 70J2




Star Key Wrench
T25xT30xT40, Kraton grip.

| 70T2



TwinHead Wrench Set
Contains 2x2.5x3x4x5x6x8mm hex key wrenches (ball-ended) and T-25 star wrench, SNCM steel.

| 7M85



T-20 TwinHead Star Wrench
SNCM steel
new | 7T20

T-25 TwinHead Star Wrench
SNCM steel
| 7T25

T-30 TwinHead Star Wrench
SNCM steel
new | 7T30



Hex Key Wrench
4x5x6mm, Kraton grip.

| 70Y2



Hex Key Wrench W/Ball-ended
4x5x6mm, Kraton grip.

| 70Y4



6-in-1 Wrench
3x4+5x6mm hex keys, +/- screwdrivers. Patented.

| 74A1



Perfect Tool for In-line Skate
Contains bearing pusher, 4x6mm hex keys, +/- screwdrivers. Patented.


| 74B1



Impact Tools for Assembly Line

BB Installation Tool
4-notch locking.

| M074



1/2" Drive



BB Installation Tool
3-notch locking.

| M083



BB Installation Tool
For Campagnolo® Ultra-torque / Shimano® Hollowtech II / Truvativ® Howitzer compatible BB. Cr-Mo steel. For use with 1/2" driver (#53D4) or 32mm headset wrench (#06F2).

| M091



BB Installation Tool
For Shimano® BBR60 BB. Cr-Mo steel. For use with 1/2" driver (#53D4).

| M093



Impact Tools for Assembly Line

BB Installation Tool
For Shimano® SM-BB93 (SM-BB9000) BB. Cr-Mo steel. For use with 1/2" driver (#53D4).

| M095



12-Tooth BB Installation Tool
For Hawk Racing™ BB3086™, RaceFace® Cinch™, Rotor® BSA30, Zipp® Vuma™ and other external bottom bracket system. Hardened Cr-Mo steel. Use with 1/2" driver (#53D4).

new
| M097



Headset Lock Nut Installation Tool
M100: 30mm
M102: 32mm
M106: 36mm

| M100 / M102 / M106



Headset Head Cup Installation Tool
M123: 43mm
M127: 47mm

| M123 / M127



Multi Tools

Pocket-17
3x4x5x6x8mm Hex Keys, +/- screwdrivers, T-25 star wrench, 8x9x10mm spanners, 15mm pedal wrench, 0.127x0.130x0.136" spoke tools, chain tool, tire lever, bottle opener. Pouch included. Weight: 218g.

| 91A2



Pocket-22
3x4x5x6x8mm hex keys, +/- screwdrivers, T-25 star wrench, 8x9x10mm spanners, 15mm pedal wrench, 0.127x0.130x0.136" and 12x13x14x15G spoke tools, chain tool (Shimano® 7, 8, 9, 10-speed compatible), tire lever, bottle opener. Pouch included. Weight: 266g.

| 91A4




Reserve-16
2x2.5x3x4x5x6x8mm hex keys, +/- screwdrivers, T-25 star wrench, 12x13x14x15G spoke tools, chain tool (Shimano® 7, 8, 9, 10-speed compatible), tire levers. Weight: 210g. Patented.

| 91C3



Release-20
2x2.5x3x4x5x6x8mm hex keys, +/- screwdrivers, 8~15mm spanners, 14x15G spoke tools, tire levers. Weight: 176g.

| 93B1



Urban-7
Rustproofed Stainless steel multi tool with 3x4x5x6mm hex keys, +/- screwdrivers and T-25 star wrench. Sturdy, corrosion-resistant stainless steel construction. Best multi tool for the outdoor. Weight: 132g.

new
| 91B4



Urban-8
Rustproofed Stainless steel multi tool with 3x4x5x6x8mm hex keys, +/- screwdrivers and T-25 star wrench. Sturdy, corrosion-resistant stainless steel construction. Best multi tool for the outdoor. Weight: 134g.

new
| 91B5



Sportive-7
Rustproofed Stainless steel multi tool with 3x4x5x6mm hex keys, +/- screwdrivers and T-25 star wrench. Sturdy, corrosion-resistant stainless steel construction. Best multi tool for the outdoor. Weight: 115g.

| 94H1



Sportive-8
Rustproofed Stainless steel multi tool with 3x4x5x6x8mm hex keys, +/- screwdrivers and T-25 star wrench. Sturdy, corrosion-resistant stainless steel construction. Best multi tool for the outdoor. Weight: 119g.

| 95H1



Rustproofed Stainless Steel

Compact-10
1.5x2x2.5x3x4x5x6mm hex keys, +/- screwdrivers, T-25 star wrench. Weight: 142g.

| 94A5



Compact-11
1.5x2x2.5x3x4x5x6x8mm hex keys, +/- screwdrivers, T-25 star wrench. Weight: 150g.

| 95A5



Mighty-9
1.5x2x2.5x3x4x5x6mm hex keys, +/- screwdrivers. Weight: 144g.

| 97A3



Mighty-10
1.5x2x2.5x3x4x5x6x8mm hex keys, +/- screwdrivers. Weight: 152g.

| 97B3



Mighty-17
1.5x2x2.5x3x4x5x6x8mm hex keys, +/- screwdrivers, 8x9x10x15mm spanners, 14x15G spoke wrenches, tire lever. Weight: 169g.

| 97C3



Star-8
T-9x10x15x20x25x27x30x40 star keys. Weight: 150g.

| 97T1



Blade Man
3x4x5x6mm hex keys, +/- screwdrivers, bottle opener, 10mm open-ended, knife, key ring. Weight: 148g.


| 96K2



Pedal and Axle Wrenches

Dummy Pedal
Ideal for bike repair and assembly use. Easy and efficient on/off and rotate the crank.

| 33D1



15mm & 9/16" Pedal Wrench
Cr-Mo steel, length: 290mm.

| 33P5



15mm Pedal Wrench
Off-set design, with ergonomic handle. Cr-Mo steel.

| 33S1



Pedal & Axle Wrench
10mm Open-ended, 15mm pedal wrench & 14x15mm sockets for crankarm bolts and axle nuts, Cr-Mo steel.

| 34A2



Pedal & Hex Wrench
15mm pedal wrench and 8x10mm hex keys for crankarm bolts and freehubs. Cr-Mo steel.

| 34H2



Tool for Single Speed Chain Whip, Pedal, Lockring
Lockring tool, freewheel turner (chain whip, 1/2" x 1/8"), and 15mm pedal wrench. Perfect tool for fixed-gear bikes. Cr-Mo steel.

| 34S2



All-in-1 Track Bike Tool
10mm open-ended, 5x6mm hex keys, 15mm pedal wrench & 15mm socket for axle nuts. Perfect tool for track bikes. All you need in one tool. Patented. Cr-Mo steel.

| 34T2



Safety

ABS Trousers Clips
With 3M® Scotchlite reflective sheeting.

| 21C2



Steel Trousers Clips
With 3M® Scotchlite reflective sheeting.

| 21R2



Safety Bands
With Microlite® reflective tapes.

| 21M2



Safety Flag
Made of net-inserted fluorescent pennant and fiberglass pole. Different length (60" or 72") and sections available. (51WB=1 section, 52WB=2 sections, 53WB=3 sections)


| 51WB-53WB



Spoke Tools

Spoke Tool
For 3.20mm/80 ga./0.127" nipples, black vinyl coated. Cr-Mo steel.

08A3



Spoke Tool
For 3.45mm/80 ga./0.136" nipples, red vinyl coated. Cr-Mo steel.

08C3



Stainless Steel Spoke Tool
For 3.45mm/80 ga./0.136" nipples. Ergonomic design for high tension spokes.

08C5



Spoke Tool
For 3/16" (Hex) nipples with ergonomic & interval marked handle. Rotating and tighten nipples so Quickly.

12A3



Spoke Tool - 3/16" (HEX) Nipple
T-Handle designed to support high tension over 60N.

12A7



Spoke Tool
For 3.2mm (Square) nipples with ergonomic & interval marked handle. Rotating and tighten nipples so Quickly.

12B3



Spoke Tool - 3.2mm (Square) Nipple
T-Handle designed to support high tension over 60N.

12B7



Spoke Tool
For 5.5mm (Hex) nipples with ergonomic & interval marked handle. Rotating and tighten nipple so Quickly.

12C3



Spoke Tool - 5.5mm (Hex) Nipple
T-Handle designed to support high tension over 60N.

12C7




Spoke Tool
For 3.6mm (Square) nipples with ergonomic & interval marked handle. Rotating and tighten nipples so Quickly.

12D3



Spoke Tool - 3.6mm (Square) Nipple
T-Handle designed to support high tension over 60N.

12D7



**12A5=12A3+12A7
Combo Set of Spoke Tools
For 3/16" (Hex) nipples.**

**12B5=12B3+12B7
Combo Set of Spoke Tools
For 3.2mm (Square) nipples.**

**12C5=12C3+12C7
Combo Set of Spoke Tools
For 5.5mm (Hex) nipples.**

**12D5=12D3+12D7
Combo Set of Spoke Tools
For 3.6mm (Square) nipples.**

Turn nipples with screwdriver-handle
RAPIDLY in the beginning stage, and
interchange to T-handle to tighten
FIRMLY at the end.

Spoke Tool
For Shimano® wheel systems.

12G4



Spoke Tool
For Mavic® wheel systems.

12H4



Spoke Tool
For 3.20mm/80 ga./0.127" nipples.

12J4



Spoke Wrench
For 3.45mm/80 ga./0.136" nipples.

12K4



Spoke Wrench
For 12G / 13G nipples.

12L4




Spoke Tool
For Mavic® 6.4mm 7-spline.

12M4



Forged 8-groove Spoke Wrench
For 10~15 gauge nipples. With spokes holder for more efficient wheel building. Hardened Cr-Mo steel. Patent Pending.

new
12F8




Nipple Wrench for Deep Rims
The V-spring grabs the nipple to screw on deep rims to prevent the nipple from dropping. With depth control function to release the nipple after 3~4 mm on the spoke. Also can use with 1/4" electric screwdriver.

12S4



Spare V-Spring for #12S4, #12S5

12S4S



Rotatable Nipple Driver for Deep Rims
The V-spring grabs the nipple to screw on deep rims to prevent the nipple from dropping. With depth control function to release the nipple after 3~4 mm on the spoke. Works with rims up to 40mm deep.

12S5



Bladed Spoke Catcher
For thickness 0.9~2.0mm. Patented.

12T4




Tire Service

Steel Tire Lever Set
Zinc plated. Set of 3 pieces.

1903



Pincers Duo-functional Tire Tool
Tire lever with Duo function: to connect the two levers to each other, the tool changed from tire lever into a tool to mount the tire. Patented.



64A2




Screwdriver Type Downhill Tire Lever
Works for even most stubborn bicycle tires, Cr-V steel. Metal parts covered by durable nylon provide extra protection for Alu & Carbon Fiber rims.

64D3



POM Tire Levers
Set of 3 pieces. Unique V shaped design can be easily fixed on the spokes. Air vent function added on back. Smart V shaped design on back is a fulcrum on the rim for tire removal. Patented.

64P3



Tire Service

Tire Puncture Repair Kit
Contains: 18 patches, 3 tire levers, 10ml adhesive, 8cm valve hose, and a sandpaper.

65A1



Tire Puncture Repair Kit
Contains: 125ml adhesive with brush, 3 sandpapers (85x45mm), and 30 patches (Ø42mm).

65B1



Tire Sealant
For all inflatable rubber tubes and tubeless tires. Contains 120ml and one small piece of valve tool for Schrader and Dunlop valves. Applicable for tire pressure under 60 PSI, and suggest replenishing after half year. One bottle fills 2 tires.

66F1



10ml Adhesive
50 tubes in jar.

66G1



Glueless Patch Set AirDam
Six patches per set.

56E6



Glueless Patch Set AirDam
20 sets #56E6 per card.

56H2



Glueless Patch Set AirDam
50 sets #56P6 in jar.

56J5



Glueless Patch Set AirDam
Six patches per set.

56P6



Tool Kits

Ultimate Tool Kit

Size: 305x210x65mm.

Weight: 2.18kgs.

- Crank Remover
- 15mm Pedal Wrench
- 6" Adjustable Forged Wrench
- Shimano® Cassette Lockring Tool with Guide Pin
- 8mm Hex Key Wrench
- #1 Phillips Screwdriver
- 6mm Flathead Screwdriver
- Freewheel Turner (chain whip, 1/2" x 3/32")
- Chain Tool (6x7x8x9x10-speed)
- Glueless Patch Set AirDam, 6 Pieces
- T-9x10x15x20x25x27x30x40 Star Key Wrenches
- Adapter (8mm To 1/2" Drive)
- Tyre Lever Set, 3 Pieces
- 9x10mm Spanner
- 10-15G Forged 8-groove Spoke Tool
- BB Installation Tool
- 2x2.5x3x4x5x6mm Hex Key Wrenches

82A8



Essence Tool Kit

Size: 305x210x65mm.

Weight: 1.8kgs.

- Crank remover
- Chain Tool for 7-10 speed
- POM tire levers, set of 3 pcs
- Connecting tool from 8mm changing to 1/2"
- Freewheel tool for Shimano® CS compatible cassettes
- 6" forged adjustable wrench
- 9x10mm open end wrench
- 8x200mm hex key wrench with coating
- 2/2.5/3/4/5/6 hex key wrench, 4x5x6mm ball-end
- PH1 Phillips screwdriver
- S6 Flathead screwdriver
- Lockring tool, freewheel turner, and 15mm pedal wrench
- BB tool for Shimano® Hollowtech II compatible
- Precise 8-groove spoke tool, for 10-15G
- T-25 torx wrench, 20x100mmL
- BB tool for Shimano® / ISIS Drive compatible cartridge BBs

82F4



Advanced Mechanic Tool Kit

Size: 380x165x125mm.

Weight: 4.8kgs.

- Carry Case
- WD-40 (1.5oz/51ml)
- Cartridge BB Tool for Shimano® / ISIS Drive®
- Cassette Lockring Tool
- Shimano® Hollowtech II Compatible Crank Adaptor Tool
- Tape Measure, Up to 3M / 10FT
- 10-15G Forged 8-groove Spoke Tool
- Two-way Brush
- Crank Remover
- Star Key Wrench (T-10x15x20x25x27x30x40x45x50)
- Hex Key Wrench Set w/Ball-ended (1.5x2x2.5x3x4x5x6x8x10mm)
- 13x14x15x16x17x18x19mm Cone Wrench Set
- 6" Forged Adjustable Wrench
- Cable Cutter
- 15mm Pedal Wrench
- PH1 Phillips Screwdriver
- S6 Flathead Screwdriver
- POM Tyre Lever Set of 3 Pieces
- Pro Shop Chain Tool (for 7x8x9x10-speed)
- Multi-speed Freewheel Turner (chain whip)
- 1/2" Drive Wrench, with Quick Release Function

85A4



Pro Shop Mechanic Tool Kit

Size: 380x165x125mm.

Weight: 4.4kgs.

- Carry Case
- WD-40 (1.5oz/51ml)
- Two-way Brush
- Multi-speed Freewheel Turner (chain whip)
- 15mm Pedal Wrench
- 1/2" Drive Wrench, with Quick Release Function
- Pro Shop Apron
- Shimano® Hollowtech II Compatible Crank Adaptor Tool
- ChainMaster
- 13x15+14x16mm cone wrench set, 2 pieces
- Cable Cutter
- "Star-8" T-9x10x15x20x25x27x30x40 Star Keys
- "Mighty-9" 1.5x2x2.5x3x4x5x6mm Hex Keys, +/- Screwdrivers
- Pro Shop Chain Tool (for 7x8x9x10-speed)
- 8mm Hex Key Wrench
- 6" Forged Adjustable Wrench
- Crank Remover
- 10-15G Forged 8-groove Spoke Tool
- Cassette Lockring Tool
- Glueless Patch Set "AirDam", Six Patches per Set
- Professional Tool for Chainwheel Pegs Installation
- PH1 Phillips Screwdriver
- S6 Flathead Screwdriver
- POM Tyre Lever Set of 3 Pieces

85A6



Xpert Series – Tools for Specialists

Star Nut Installation Tool

For 1", 1-1/8", and 1-1/2" fork steerer. Patented.

E113



Axle Vise

Hold a variety of axles. Prevent turning when making adjustments to the wheel's hub. Magnets to hold jaws solid in place. Suitable for 5/9/10/12/14/20/25/30/36mm axles.

new
E122



Advanced Truing Stand

Dual supports, up to 28". Brake rotor gauge and needle gauge. Patented.

E127



Dial Gauges Upgrade Kit

For upgrade to E128 Pro Shop Truing Stand.

E127S



Through-Axle Adaptor

Use with # E127 and # E128. Conical design for use with shaft diameter 11mm~20mm. Suitable for hub width 100~150mm.

new
E127T



Pro Shop Truing Stand

Dual supports, up to 28". Brake rotor gauge and dial gauges with meter scales to 0.01mm tolerance. Patented.

E128



Floor Repair Stand

Single clamp.

E132B Steel Base for #E132
Size: 8x600x600mm.

E132



Steel base #E132B is optional
Tools are optional

Tool Tray

For repair stand.

E132T



Tools are optional

Floor Repair Stand

Dual clamp.

E134B Steel Base for #E134
Size: 8x600x900mm.

E134



Steel base #E134B is optional
Tools are optional

Professional Repair Stand

Rotatable clamping mechanism holds Ø25.4~55mm tubes. Quick release for easy adjust and fold for travel. 3-leg stands stable and portable. Contains paper towel holder.

E137



Tool tray and tools are optional



Spare clamp for #E132, #E134, #E137, #E138

E137S



Professional Repair Stand

Rotatable clamping mechanism holds Ø25.4~55mm tubes. Quick release for easy adjust and fold for travel. 3-leg stands stable and portable. Contains paper towel holder and carry bag.

E138



SuperLifter Repair Stand

E-bike compatible up to 60kg. Rotatable rubber clamp for Ø25.4mm~Ø55mm (same as #E137S). Adjustable height from 60cm to 190cm (23.6"~74.8"). 1 turn on the handle = 10cm in height. Integrated wheels for better indoor and outdoor maneuver. Large base to support the bike firmly to the top. Includes integrated work tray. Full height 167.8cm. Weight: 40.7kg.

new
E139



Rotatable Race Stand

360-degree rotatable, it's quite easy to do bike services and setting or cleaning process. The crossbar is compatible with all fork and rear dropouts, and adjustable to match various bikes. With straps to hold the frame for more safety. Auto adjustable foot padding to fit uneven floor condition and more stable workstation. This stand can support 25kgs / 55.12lbs and height 90cm / 35.43". Carry bag included.

E614



Xpert Series – Tools for Specialists

Headset Cup / BB Cup Press Tool
Up to 1-1/2". For head tube length up to 260mm. Patented.



For BB cups



For headset cups

E145



Complete Tap Set with Handle & Storage Pouch

Kit includes:

- M3x0.5P: dropout alignment screws
- M5x0.8P: water bottle, fenders
- M6x1.0P: anti-brakes and large fender bracket
- M10x1.0P: derailleur hanger
- 1/2"x20TPI (left + right): pedal taps
- 9/16"x20TPI (left + right): pedal taps

E158



BB Tapping & Facing Tool, English
Patented.

E175



Facing



Tapping

E171L BB Screw
English (1.37"x24TPI), for left side. Black.

E171R BB Screw
English (1.37"x24TPI), for right side. Golden.

E171T BB Screw
Italian (36mmx24TPI). Silver.

E171L / E171R / E171T



E171L Black
E171R Golden
E171T Silver

E173L Tap
English (1.37"x24TPI), for left side. Black.

E173R Tap
English (1.37"x24TPI), for right side. Golden.

E173T Tap
Italian (36mmx24TPI). Green.

E173L / E173R / E173T



E173L Black
E173R Golden
E173T Green

BB & Head Tube Facer
Up to 55mm diameter.

E171F



Bottom Bracket Reaming & Facing Cutter
Ø46mm for PF30. H.S.S.

new
E171M



Bottom Bracket Reaming & Facing Cutter
Ø41mm for BB86/92, PF24, PF41. H.S.S.

new
E171N



Head Tube Reaming & Facing Tool
For 1" and 1-1/8" conventional headset systems. E181A, E181B, and E181F are included.

E181



BB Tapping & Head Tube Reaming & Facing Set
Kit includes: E171F, E171L, E171R, E171T, E173L, E173R, E173T, E181A, and E181B. Patented.

E185



E181P + E181R:
for Cane Creek

E181T + E181U:
for Campagnolo
and FSA

E181A Head Tube Reamer
30mm diameter for 1" conventional headset systems.

E181B Head Tube Reamer
34mm diameter for 1-1/8" conventional headset systems.

E181A / E181B



Head Tube Reamer
34mm diameter for 1-1/8" conventional headset systems, Chris King®.

E181C



Head Tube Facer
Up to 45mm diameter

E181F



Head Tube Reaming & Facing Cutter
41.4mm diameter for Cane Creek® 1-1/8" ZS compatible low profile headset systems. H.S.S.

E181G



Head Tube Reaming & Facing Cutter
44mm diameter for Cane Creek® 1-1/8" ZS compatible low profile headset systems. H.S.S.


E181H



Xpert Series – Tools for Specialists

Centering Cone
For Head Tube inner diameter 48~54mm. Usually used in conjunction with E181S.

E181L



E18P Head Tube Reaming & Facing Cutter
For Cane Creek® 1-1/8" IS compatible integrated headset systems, top. H.S.S.

E18T Head Tube Reaming & Facing Cutter
For Campagnolo® Hiddenset compatible integrated headset systems, top. H.S.S.

E181P
E181T



Head Tube Reaming & Facing Cutter
For Cane Creek® 1-1/8" IS compatible integrated headset systems, bottom. H.S.S.

E181R




Head Tube Reaming & Facing Cutter
49.6mm diameter for 1-1/2" OnePointFive headset systems. H.S.S.

E181S



Head Tube Reaming & Facing Cutter
For Campagnolo® Hiddenset compatible integrated headset systems, bottom. H.S.S.

E181U



Head Tube Reaming & Facing Cutter
For FSA® Integrated #44 series headset systems, 1-1/8", top. H.S.S.

E181V




Head Tube Reaming & Facing Cutter
For FSA® Integrated #44 series headset systems, 1-1/4", bottom. H.S.S.

E181W




One-way Torque Wrench
21~105N-m, for 3/8" & 1/2" drive sockets.

E211



One-way Torque Wrench
5~25N-m, for 1/4" & 3/8" drive sockets.

E212



One-way Torque Screwdriver
1~5N-m, for 1/4" drive sockets. Also contains bits of Hex, Pozi®, Phillip, Slot, Torx® (totally 32 bits), and a 1/4" adaptor.

E213



Two-way Torque Wrench
20~100N-m, for 3/8" & 1/2" drive sockets.

E214



Two-way Digital Torque Wrench
20~100N-m, for 3/8" & 1/2" drive sockets.

E217



Two-way Digital Torque Wrench
5~25N-m, for 1/4" & 3/8" drive sockets.

E218



Ocarina Torque Wrench Set
It's lightweight and smart design. Tightening force to the correct torque easily, no need to set up the tool between various torque, for 3~10N-m rating. The ergonomic handle holds 3/4/5/6mm hex keys and T-25 in one tool. Ideal for all mechanics and avid riders. Patented.



new
E219



Xpert Series – Tools for Specialists

41 Piece Sockets & Bits Set

A shop quality set of sockets, hex keys and Torx style bits for the bike mechanic. Ideal for use with torque wrenches, the drive bits and sockets are made from tough, chrome vanadium steel for long life. Contains Torx, Allen, Crosshead and Slothead bits as well as Hex Sockets and Extension bar.

E21K



3/8" Drive Socket Set

Contains 4/5/6/8mm hex keys and T-25. For IceToolz® torque wrenches and 3/8" drive wrench.

E21S



Headset Cups Remover

For 1" and 1-1/8".

E221



Headset Cups Remover

For 1-1/4" and 1-1/2".

E223



Crown Race Seat Cutting Tool

For 26.4, 27.0, and 30.0mm diameter.

E231



Crown Race Installation Tool

For 1" and 1-1/8" fork steerer tubes.

E242



Crown Race Installation Tool

For 1", 1-1/8", and 1-1/2" fork steerer tubes.

E244



Crown Race Remover

Up to 1-1/2".


E253



Frame & Fork Adjuster

For expanding & compressing steel forks, chain stays, and seat stays. Trapezoid thread provides extra power and longer life time. With protective rubber where tool meets bike.

E263



Disc Mount Facing Tool

Unique designed for conventional & 20mm thru-axle frames and forks.

E271



Fork Threading Tool

Using for size 1"x24TPI. The fork threading tool is designed for cutting new threads and for chasing existing threads on steerer tubes that are not chromed.


E281



Bearing Puller

For BB30, BB86, BB92, and Campagnolo® Ultra-torque. For bearing cup of outer diameter 40mm~45mm. Patented.

E291



Press-fit Bearing Removal Tool

For internal diameter 24mm~30mm bottom bracket bearings.

E293



Press-fit Bearing Removal Tool

For internal diameter 46mm bottom bracket bearing.

new
E294



Xpert Series – Tools for Specialists

Wheel Centering Gauge

For rim size 16"~31".

E312



Wheel Centering Gauge with Meter

Scales to 0.1mm tolerance. The black tolerance tabs are designed to assign a specific range of acceptable tolerance quickly.

E313



Stainless Steel Spoke Ruler

Up to 330mm / 13".

E322



Pupa Seat Tube Gauge

Takes the hassle out of finding the right seat post. Measures from Ø25.0~Ø31.8mm. Patented.

E325



Innovation Award

Thread Gauges

For metric & imperial.


E331



Frame & Fork End Alignment Tool

It's designed to allow you to easily re-align the ends of bent forks and frames. Recommended for using on the steel frames & forks.


E341



Derailleur Hanger Alignment Tool

For rim size 18"~30". Patented.

E353



Digital Protractor

E371



Spoke Tension Meter

Japanese Mitutoyo® analog meter, scales to 0.01mm, for rim size 18" and up.

E381



Digital Spoke Tension Meter

Japanese Mitutoyo® digital meter, scales to 0.01mm, for rim size 18" and up.

E383



9/16" Helicoil Threads

Set of 5 pairs. For use with the #E521 Stripped Pedal Threads Repair Kit only.


E521H



Stripped Pedal Threads Repair Kit

Ideal for repairing and saving damaged threads high-end cranks. Patented. Kit includes: One set of tap & five helicoil threads in 9/16"x24TPI for right crank arms, as well as the left crank arms, one ergonomic handle to use with tap to enlarge the stripped pedal threads on damaged crank arms, one handle with comfortable rubber grip to install the helicoils threads onto the crank arms, one brush for cleaning, and one bottle of #C143 cutting fluid (2oz. / 60ml.)

E521



Innovation Award



Thread Tap Set for #E521

For use to enlarge the stripped pedal threads on damaged crank arms. For use with the #E521 Stripped Pedal Threads Repair Kit only. Patented.

E521T

